



**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES, TIRUPATI
(AUTONOMOUS)**

(Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu)

3.5.1 Revenue generated from consultancy and corporate training during the last five years (INR in Lakhs) (5)

Name of the teacher-consultants	Name of consultancy project/corporate training program	Consulting/Sponsoring agency with contact details	Year	Revenue generated (INR in Lakhs)	Number of trainees
T. Sai Krishna	Testing of Soil samples	Y. Girish Murakambattu, Chittoor – 517001 Ph: +91 6300276097	2021-22	0.25	
K. Sai Abhinav	Structural Design of G+2	Bommireddy Satya Narayana Reddy, 13-5-532 Tata Nagar Ph: +91 9491502986	2021-22	0.28	
I. Vamsi Krishna	Structural Design of G+1	M.E Annadorai, 22-7-21/8, Tirupati – 517507 Ph: +91 9505065195	2021-22	0.2	
I. Vamsi Krishna	Structural Design of G+1	Lokanadham Dinesh, 22-7-21/4, Subbareddy nagar, Tirupati – 517507 Ph: +91 6301502904	2021-22	0.1	
A. Kalpana	Structural Design of G+1	Nagaruri Arun Kumar, 5694+4RQ, Mittoor, Chittoor – 517001 Ph: +91 7702096837	2021-22	0.15	
Mr. K Durga Naveen	Campus Recruitment Training	Coign Consulting Pvt Ltd (9246818846)	2021-22	31.81	440
Mr. Dinesh Raja	Campus Recruitment Training	FACE (9840108444)	2020-21	5.24	260


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 524



**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES, TIRUPATI
(AUTONOMOUS)**
(Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu)

T. Sai Krishna	Testing of Soil samples	Amara raja Growth Corridor, Tirupati – 517501 Ph: +91 8686848443	2019-20	0.015	
T. Sai Krishna	Testing of Soil samples	Amara raja Growth Corridor, Tirupati – 517501 Ph: +91 8686848443	2019-20	0.2475	
Dr. J. Guru Jawahar	Test on Reinforcing Steel	Amara raja Growth Corridor, Tirupati – 517501 Ph: +91 8686848443	2019-20	0.0375	
Dr. J. Guru Jawahar	Test on Reinforcing Steel	Walmart Private Limited, Renigunta, Tirupati – 517501 Ph: +91 8074762071	2019-20	0.1	
Mr.J Sreedhar	Campus Recruitment Training	Truimphant Training Solutions (9246532050)	2019-20	29.24	234
C. Sreenivasulu	UPV and Compressive strength of cubes	Amiya Akram, Research Schloar, JNTUA, Anantapuramu	2018-19	0.01	
C. Sreenivasulu	UPV and Compressive strength of cubes	Amiya Akram, Research Schloar, JNTUA, Anantapuramu	2018-19	0.01	
C. Sreenivasulu	UPV and Compressive strength of cubes	Amiya Akram, Research Schloar, JNTUA, Anantapuramu	2018-19	0.01	
C. Sreenivasulu	UPV and Compressive strength of cubes	Amiya Akram, Research Schloar, JNTUA, Anantapuramu	2018-19	0.0205	

PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 529



**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES, TIRUPATI
(AUTONOMOUS)**

(Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu)

C. Sreenivasulu	UPV and Compressive strength of cubes	Amiya Akram, Research Schloar, JNTUA, Anantapuramu	2018-19	0.036	
Mr.J Sreedhar	Campus Recruitment Training	Truimphant Training Solutions (9246532050)	2018-19	13.8	209
D. Nirosha	M25 Concrete Mix Design	Aditya Birla Solar Pvt Ltd Mulbagal Karnataka	2017-18	0.08	
Mr. Vamsi Krishna	Campus Recruitment Training	Mission Ignite (9246532050)	2017-18	18.745	180

**PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520**



ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES : TIRUPATI (AUTONOMOUS)

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

INVOICE

Date: 05-09-2022

To
Y. Girish,
Murakambattu,
Chittoor - 517001
Ph: +91 6300276097
Dear Sir,

Here is our Invoice for soil testing of samples

Here is our Invoice for Soil testing

SNo	Description	Specification	Rate	Remarks
1	Liquid Limit Plastic limit Free Swell Index Percentage of gravel (G) Percentage of sand (S) Percentage of silt and clay (M+C) Classification of soil Safe Bearing Capacity Handling Charges	Soil Sample	25000/-	Each test consists of 3 samples

Civil Engineering Consultancy,

Annamacharya Institute of Technology & Sciences,
Account Name : Principal, AITS, Tirupati
Account No. : 140610100027837
Branch Name : Karakambadi Branch
IFSC Code : UBIN0814067
Bank Name : Union Bank

Head of Department
HEAD

Dept. of Civil Engg.
AITS, Tirupati-517 520

PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520


Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Tirupati Dist., Andhra Pradesh

e-mail : aitstpt@gmail.com
Website : www.aitstpt.edu.in
Phone : 99486 61276

APEAPCET/ ICET/ ECET/ PGECET - Counseling Code : **AITT**

Day Book
For 7-Sep-2022

Date	Particulars	Vch Type	Vch No.	Debit Amount	Credit Amount
7-9-2022	Yegavinti Girish OTHERS Andhra Bank A/C.NO.140610100027837 Being consultancy fee for Soil testing to y GIRISH	Bank Receipt 25,000.00 Cr	2950	25,000.00	25,000.00




PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VII.)
RENIGUNTA (M), TIRUPATI-517 520



Estd : 2007

ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES::TIRUPATI (AUTONOMOUS)

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

INVOICE

Date: 06-06-2022

To
Bommireddy Satya Narayana Reddy,
13-5-532
Tata Nagar
Ph: +91 9491502986

Dear Sir,

Here is our Invoice for Structural Design of G+2

SNo	Description	Specification	Rate	Remarks
1	Structural design	G+2	28000/-	Structural member cross sections with reinforcement details

Civil Engineering Consultancy,

Annamacharya Institute of Technology & Sciences,

Account Name : Principal, AITS, Tirupati

Account No. : 140610100027837

Branch Name : Karakambadi Branch

IFSC Code : UBIN0814067

Bank Name : Union Bank


Head of Department
HEAD

Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520

Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Chittoor Dist., Andhra Pradesh

e-mail : aitstpt@gmail.com
Website : www.aits-tpt.edu.in
Phone : 0877-2258608/609

EAMCET / ECET / ICET /
PGECET Counseling Code • **AITT**

Day Book

For 7-Jun-2022

Page 1

Date	Particulars	Vch Type	Vch No.	Debit Amount	Credit Amount
7-6-2022	B Satya Narayana Reddy OTHERS Andhra Bank A/C.NO.140610100027837 <i>Being consultancy fee for structural design of G+2 of B Satya narayana reddy</i>	Bank Receipt 28,000.00 Cr	798	28,000.00	28,000.00



PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520



Estd : 2007

**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES::TIRUPATI
(AUTONOMOUS)**

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

INVOICE

Date: 27-12-2021

To
M.E Annadorai,
22-7-21/8,
Tirupati – 517507
Ph: +91 9505065195

Dear Sir,

Here is our Invoice for Structural Design of G+1

SNo	Description	Specification	Rate	Remarks
1	Structural design	G+1	20000/-	Structural member cross sections with reinforcement details

Civil Engineering Consultancy,

Annamacharya Institute of Technology & Sciences,

Account Name : Principal, AITS, Tirupati

Account No. : 140610100027837

Branch Name : Karakambadi Branch

IFSC Code : UBIN0814067

Bank Name : Union Bank


Head of Department
HEAD

Dept. of Civil Engg.
AITS, Tirupati-517 520


**PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII,
RENIGUNTA (M), TIRUPATI-517 520**

Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Chittoor Dist., Andhra Pradesh

e-mail : aitstpt@gmail.com
Website : www.aitstpt.edu.in
Phone : 0877-2258608/609

EAMCET / ECET / ICET / • **AITT**
PGECET Counseling Code •

M E Annadorai
Ledger Account

1-Dec-2021 to 31-Mar-2022

Page 1

Date	Particulars	Vch Type	Vch No.	Debit	Credit
29-12-2021	Dr Andhra Bank A/C.NO.140610100027837 Cheque/DD	Bank Receipt	2596		20,000.00
	OTHERS 20,000.00 Cr <i>being amount received from M E ANNADORAI for structural design G+1 Consultancy fee</i>	29-12-2021	20,000.00 Dr		
Cr	Closing Balance			20,000.00	20,000.00
				<u>20,000.00</u>	<u>20,000.00</u>




PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520



ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES : TIRUPATI (AUTONOMOUS)

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

Estd : 2007

INVOICE

Date: 07-08-2021

To

Lokanadham Dinesh,
22-7-21/4, Subbareddy nagar,
Tirupati – 517507
Ph: +91 6301502904

Dear Sir,

Here is our Invoice for Building Planning and Structural Design of G+1

SNo	Description	Specification	Rate	Remarks
1	Building Plan	G+1	5000/-	Building floor plan, elevation and cross section
2	Structural design	G+1	10000/-	Structural member cross sections with reinforcement details

Civil Engineering Consultancy,

Annamacharya Institute of Technology & Sciences,

Account Name : Principal, AITS, Tirupati

Account No. : 140610100027837

Branch Name : Karakambadi Branch

IFSC Code : UBIN0814067

Bank Name : Union Bank


Head of Department

HEAD
Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520

Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Tirupati Dist., Andhra Pradesh

e-mail : aitstpt@gmail.com
Website : www.aitstpt.edu.in
Phone : 99486 61276

APEAPCET/ ICET/ ECET/
PGECET - Counseling Code : **AITT**

Lokanadham Dinesh
Ledger Account

1-Aug-2021 to 31-Aug-2021

Page 1

Date	Particulars	Vch Type	Vch No.	Debit	Credit
9-8-2021	Dr Andhra Bank A/C.NO.140610100027837 Cheque/DD OTHERS	Bank Receipt 9-8-2021	1029		15,000.00
	15,000.00 Cr <i>being amount received from L Dinesh for structural design G+1 Consultancy fee</i>				
Cr	Closing Balance			15,000.00	15,000.00
				15,000.00	15,000.00



PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII)
RENIGUNTA (M), TIRUPATI-517 520



**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES::TIRUPATI
(AUTONOMOUS)**

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

Estd : 2007

INVOICE

Date: 21-05-2021

To
Nagaruri Arun Kumar,
5694+4RQ, Mittoor,
Chittoor - 517001
Ph: +91 7702096837

Dear Sir,

Here is our Invoice for Structural Design of G+1

SNo	Description	Specification	Rate	Remarks
1	Structural design	G+1	15000/-	Structural member cross sections with reinforcement details

Civil Engineering Consultancy,

Annamacharya Institute of Technology & Sciences,

Account Name : Principal, AITS, Tirupati

Account No. : 140610100027837

Branch Name : Karakambadi Branch

IFSC Code : UBIN0814067

Bank Name : Union Bank


Head of Department
HEAD

Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520

Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Chittoor Dist., Andhra Pradesh

e-mail : aitstpt@gmail.com
Website : www.aitstpt.edu.in
Phone : 0877-2258608/609

EAMCET / ECET / ICET / • **AITT**
PGECET Counseling Code •

Nagaruri Arun Kumar

Ledger Account

1-May-2021 to 31-May-2021

Date	Particulars	Vch Type	Vch No.	Debit	Page 1 Credit
22-5-2021	Dr Andhra Bank A/C.NO.140610100027837 Cheque/DD OTHERS <i>being amount received from nagaruru arun kumar for structural design G+1 Consultancy fee</i>	Bank Receipt 22-5-2021 15,000.00 Cr	440 15,000.00 Dr		15,000.00
Cr	Closing Balance			15,000.00	15,000.00
				15,000.00	15,000.00



PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520



Estd : 2007

ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES::TIRUPATI (AUTONOMOUS)

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

INVOICE

Date: 20-01-2020


To
Amara raja Growth Corridor,
Tirupati – 517501
Ph: +91 8686848443

Dear Sir,

Here is our Invoice for Soil testing

SNo	Description	Specification	Rate	Remarks
1	Liquid Limit Plastic limit Free Swell Index	Soil Sample	1500/-	Each test consists of 3 samples

Civil Engineering Consultancy,
Annamacharya Institute of Technology & Sciences,
Account Name : Principal, AITS, Tirupati
Account No. : 140610100027837
Branch Name : Karakambadi Branch
IFSC Code : UBIN0814067
Bank Name : Union Bank


Head of Department
HEAD
Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520

Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Chittoor Dist., Andhra Pradesh


e-mail : aitstpt@gmail.com
Website : www.aitstpt.edu.in
Phone : 0877-2258608/609

EAMCET / ECET / ICET / • **AITT**
PGECET Counseling Code •

AITS - Tirupati -2019-20

Day Book
For 23-Jan-2020

Date	Particulars	Vch Type	Debit Amount	Page 1 Credit Amount
23-1-2020	Consultancy Work_civil Dep. Andhra Bank A/C.NO.140610100027837 <i>Being cash received vide rept no. 3539, towards Soil test consultancy fee for civil dep., 757176 SBI Amara raja group</i>	Receipt	1,500.00	1,500.00




PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520



Estd : 2007

**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES::TIRUPATI
(AUTONOMOUS)**

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

INVOICE

Date: 10-09-2019

To
Amara raja Growth Corridor,
Tirupati - 517501
Ph: +91 8686848443

Dear Sir,

Here is our Invoice for Soil testing


SNo	Description	Specification	Rate	Remarks
1	Liquid Limit Plastic limit Free Swell Index Percentage of gravel (G) Percentage of sand (S) Percentage of silt and clay (M+C) Classification of soil Safe Bearing Capacity Handling Charges	Soil Sample	24,750/-	Each test consists of 3 samples

Civil Engineering Consultancy,
Annamacharya Institute of Technology & Sciences,

Account Name : Principal, AITS, Tirupati
Account No. : 140610100027837
Branch Name : Karakambadi Branch
IFSC Code : UBIN0814067
Bank Name : Union Bank


Head of Department

HEAD
Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520


Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Chittoor Dist., Andhra Pradesh

e-mail : aitstpt@gmail.com
Website : www.aits-tpt.edu.in
Phone : 0877-2258608/609

EAMCET / ECET / ICET / • **AITT**
PGECET Counseling Code •

AIMS - Tirupati -2019-20
AMARA RAJA BATTERIES LTD
 Ledger Account
 1-Sep-2019 to 31-Mar-2020

Date	Particulars	Vch Type	Debit	Credit
16-9-2019	Dr Andhra Bank A/C.NO.140610100027837 Cheque/DD Being Soil testing consulting fee form amara raja group	Bank Receipt		24,750.00
			24,750.00	
	Cr Closing Balance			24,750.00
			24,750.00	24,750.00




PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VII.)
REMGUNTA (M), TIRUPATI-517 928



**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES::TIRUPATI
(AUTONOMOUS)**

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

Estd : 2007

INVOICE

Date: 27-06-2019

To

Amara raja Growth Corridor,

Tirupati – 517501

Ph: +91 8686848443

Dear Sir,

Here is our Invoice for Steel testing

SNo	Description	Specification	Rate	Remarks
1	Tensile strength Elongation Bend Test Nomnal mass	Vizag TMT	3750/-	Each test consists of 3 samples

Civil Engineering Consultancy,

Annamacharya Institute of Technology & Sciences,

Account Name : Principal, AITS, Tirupati

Account No. : 140610100027837

Branch Name : Karakambadi Branch

IFSC Code : UBIN0814067

Bank Name : Union Bank


Head of Department

HEAD
Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VII.)
RENIGUNTA (M), TIRUPATI-517 520

Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Chittoor Dist., Andhra Pradesh

e-mail : aitstpt@gmail.com
Website : www.aitstpt.edu.in
Phone : 0877-2258608/609

EAMCET / ECET / ICET / • **AITT**
PGECET Counseling Code •

AITS - Tirupati -2019-20

Day Book
For 4-Jul-2019

Date	Particulars	Vch Type	Vch No.	Debit Amount	Page 1 Credit Amount
4-7-2019	Consultancy Work_civil Dep. Andhra Bank A/C.NO.140610100027837 <i>Being cash received vide rept no.269, towards Steel testing by amara raja company- 705866.SBI</i>	Receipt	269	3,750.00	3,750.00



PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (Viii.)
RENIGUNTA (M), TIRUPATI-517 520



**ANNAMACHARYA INSTITUTE OF TECHNOLOGY AND SCIENCES::TIRUPATI
(AUTONOMOUS)**

Approved by AICTE, New Delhi & Permanent Affiliation to JNTUA, Anantapuramu.
Accredited by NAAC in "A" Grade & a few programmes accredited by NBA, New Delhi.

Estd : 2007

INVOICE

Date: 13-06-2019

To
Walmart Private Limited,
Renigunta,
Tirupati - 517501
Ph: +91 8074762071

Dear Sir,

Here is our Invoice for Steel testing

SNo	Description	Specification	Rate	Remarks
1	Tensile strength Elongation Bend Test Nomnal mass	Tirupati Prime TMT (Fe-500, Fe550) Tirupati E Gold TMT	10000/-	Each test consists of 3 samples

Civil Engineering Consultancy,

Annamacharya Institute of Technology & Sciences,

Account Name : Principal, AITS, Tirupati


Account No. : 140610100027837


Branch Name : Karakambadi Branch

IFSC Code : UBIN0814067

Bank Name : Union Bank

Head of Department


HEAD
Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (V)
RENIGUNTA (M), TIRUPATI-517 520

Venkatapuram(V), Karakambadi (P)
Renigunta(M), Tirupati-517520,
Chittoor Dist., Andhra Pradesh

e-mail : aitstpt@gmail.com
Website : www.aits-tpt.edu.in
Phone : 0877-2258608/609

EAMCET / ECET / ICET /
PGECET Counseling Code

AITT

AITS - Tirupati -2019-20

Day Book
For 20-Jun-2019

Date	Particulars	Vch Type	Vch No.	Debit Amount	Page 1 Credit Amount
20-6-2019	Consultancy Work_civil Dep. Andhra Bank A/C.NO.140610100027837 <i>Being material testing amount received from civil dep. wallmart pvt ltd</i>	Bank Receipt	34	10,000.00	10,000.00




PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520



Annamacharya Institute of Technology and Sciences, Tirupati
Department of Civil Engineering



Ref.: AITS/ CE/ CON/ CT lab 05/ 2018-19

18-08-18


Concrete Technology Lab Test Charges


To
Amiya Akram,
Research Schloar,
JNTUA, Anantapuramu.

SCOPE : In response to the request from Mrs. Amiya Akram, Research Scholar, JNTUA, Anantapuramu, the testing of Two concrete cubes of size (150mmx150mmx150mm) are carried out and the test charges are furnished below.

SNo	Description	Rate per Item/ Set (Rs.)	No. of items/ Sets	Total Rate (Rs.)
1	Compressive Strength of Concrete cubes (one cube)	200/-	2	400/-
2	Ultrasonic Pulse velocity test per specimen	300/-	2	600/-
Total Charges				1000/-

(One thousand rupees only)


Consultancy In-charge


HOD, CE

HEAD
Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VII.)
RENIGUNTA (M), TIRUPATI-517 520



Annamacharya Institute of Technology and Sciences, Tirupati
Department of Civil Engineering



Ref.: AITS/ CE/ CON/ CT lab 04/ 2018-19

18-07-18

Concrete Technology Lab Test Charges

To
Amiya Akram,
Research Scholar,
JNTUA, Anantapuramu.

SCOPE : In response to the request from Mrs. Amiya Akram, Research Scholar, JNTUA, Anantapuramu, the testing of Two concrete cubes of size (150mmx150mmx150mm) are carried out and the test charges are furnished below.

SNo	Description	Rate per Item/ Set (Rs.)	No. of items/ Sets	Total Rate (Rs.)
1	Compressive Strength of Concrete cubes (one cube)	200/-	2	400/-
2	Ultrasonic Pulse velocity test per specimen	300/-	2	600/-
Total Charges				1000/-

(One thousand rupees only)

Consultancy In-charge

HOD, CE
HEAD

Dept. of Civil Engg.
AITS, Tirupati-517 520

PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520



Annamacharya Institute of Technology and Sciences, Tirupati
Department of Civil Engineering



Ref.: AITS/ CE/ CON/ CT lab 03/ 2018-19

12-06-18


Concrete Technology Lab Test Charges


To
Amiya Akram,
Research Scholar,
JNTUA, Anantapuramu.

SCOPE : In response to the request from Mrs. Amiya Akram, Research Scholar, JNTUA, Anantapuramu, the testing of Two concrete cubes of size (150mmx150mmx150mm) are carried out and the test charges are furnished below.

SNo	Description	Rate per Item/ Set (Rs.)	No. of items/ Sets	Total Rate (Rs.)
1	Compressive Strength of Concrete cubes (one cube)	200/-	2	400/-
2	Ultrasonic Pulse velocity test per specimen	300/-	2	600/-
Total Charges				1000/-

(One thousand rupees only)


Consultancy In-charge


HOD, CE
HEAD
Dept. of Civil Engg.
AITS, Tirupati-517 520


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VII.)
RENIGUNTA (M), TIRUPATI-517 520



Annamacharya Institute of Technology and Sciences, Tirupati
Department of Civil Engineering



Ref.: AITS/ CE/ CON/ CT lab 02/ 2018-19

18-05-18


Concrete Technology Lab Test Charges

To
Amiya Akram,
Research Schloar,
JNTUA, Anantapuramu.

SCOPE : In response to the request from Mrs. Amiya Akram, Research Scholar, JNTUA, Anantapuramu, the testing of four concrete cubses of size (150mmx150mmx150mm) are carried out and the test charges are furnished below.

SNo	Description	Rate per Item/ Set (Rs.)	No. of items/ Sets	Total Rate (Rs.)
1	Compressive Strength of Concrete cubes (Set of 3 Nos)	650/-	1	650/-
2	Compressive Strength of Concrete cubes (one cube)	200/-	1	200/-
3	Ultrasonic Pulse velocity test per specimen	300/-	4	1200/-
Total Charges				2050/-

(Rupees two thousand fifty only)


Consultancy In-charge


HOD, CE

HEAD
Dept. of Civil Engng.
AITS, Tirupati-517 521


PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VIII.)
RENIGUNTA (M), TIRUPATI-517 520



Annamacharya Institute of Technology and Sciences, Tirupati
Department of Civil Engineering



Ref.: AITS/ CE/ CON/ CT lab 01/ 2018-19

16-05-18


Concrete Technology Lab Test Charges


To
Amiya Akram,
Research Scholar,
JNTUA, Anantapuramu.

SCOPE : In response to the request from Mrs. Amiya Akram, Research Scholar, JNTUA, Anantapuramu, the testing of seven concrete cubes of size (150mmx150mmx150mm) are carried out and the test charges are furnished below.

SNo	Description	Rate per Item/ Set (Rs.)	No. of items/ Sets	Total Rate (Rs.)
1	Compressive Strength of Concrete cubes (Set of 3 Nos)	650/-	2	1300/-
2	Compressive Strength of Concrete cubes (one cube)	200/-	1	200/-
3	Ultrasonic Pulse velocity test per specimen	300/-	7	2100/-
Total Charges				3600/-

(Rupees three thousand six hundred only)


Consultancy In-charge


HOD, CE
HEAD
Dept. of Civil Engg.
AITS, Tirupati-517 520



PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VII.)
RENIGUNTA (M), TIRUPATI-517 520

AITS - Tirupati -2018-19
Consultancy Work_civil Dep.
 Ledger Account

1-Apr-2018 to 31-Mar-2019

Page 1

Date	Particulars	Vch Type	Vch No.	Debit	Credit
18-5-2018	Dr Cash <i>Cash received vide rept no. 41, towards Consultancy work done for civil dep. 2 no's materias testing work16 and 18 May 18, letters attached.</i>	Receipt	41		5,650.00
14-6-2018	Dr Cash <i>Cash received vide rept no. 272, towards 2 concreate cubes test charges at Civil dep</i>	Receipt	272		1,000.00
21-8-2018	Dr Cash <i>Cash received vide rept no.2271, towards 4 concreate cubes test charges at Civil dep</i>	Receipt	2271		2,000.00
					8,650.00
				8,650.00	
				8,650.00	8,650.00
	Cr Closing Balance				



PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (Viii.)
RENIGUNTA (M), TIRUPATI-517 520

24-09-2017

From

Aditya Birla solar Limited,
Assistant Engineer,
Mulbagal,
Karnataka.

To

The principal,
AITS,
Tirupathi.

Respected! Sir! - I am we are from Aditya Birla solar Limited we want "M25 concrete Mix Design for S3 Grade OPC" so please provide any report for that mix Design from your collage. from civil Department. we pay amount for that report ₹1000/- so please provide as early as possible.

TO
Accs Office
AITS

Allow to dep
constr
A/c
24.10.2017

Thanking you sir

K.V.K

HEAD
Dept. of Civil Engg
AITS, Tirupathi
ADITYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (VII.)
RENIGUNTA (M), TIRUPATI-517 520

yours faithfully.


Senleep
Sandeep

AITs - Tirupati -2018-19
Venkatapuram (Vi) Karakambadi (P)
Renigunta (M) Tirupati - 517520
Chittoor (Dist)

Other Collections
Ledger Account

For 24-Oct-2017

Date	Particulars	Vch Type	Vch No.	Debit	Page 1 Credit
24-10-2017	By Cash <i>Cash received vide rept no. 2759, towards Consultancy work for Civil dep. to Aditya birla solar ltd." M25 Concrete Mix Design"</i>	Receipt	2759		8,000.00
					8,000.00
To	Closing Balance			8,000.00	8,000.00



PRINCIPAL
ANNAMACHARYA INSTITUTE OF
TECHNOLOGY & SCIENCES
VENKATAPURAM (Viii.)
RENIGUNTA (M), TIRUPATI-517 520